



GLOBAL IP

Tecnologia da Informação

Proposta Comercial

Pregão Eletrônico nº 90034/2025
Processo SEI nº 006718/25-00.082

PREGÃO ELETRÔNICO N. 90034/2025

Ao

Superior Tribunal Militar - STM

OBJETO: Contratação de empresa especializada em segurança cibernética para prestação de Serviço Gerenciado de Segurança da Informação, composta por equipamento para proteção de perímetro do tipo NGFW com SD-WAN, suporte e garantia

Em atendimento ao Edital do Pregão em epígrafe, apresentamos a seguinte proposta de preços:

Grupo	Item	Descrição	Unid. Medida	Quantidade (mensal)	Valor Unitário (mensal)	Valor Total (anual)	Valor Total (60 meses)
1	1	Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo I (Concentrador)	Unidade	2	R\$ 29.935,45	R\$ 718.450,80	R\$ 3.592.254,00
	2	Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo II (Unidades Remotas)	Unidade	1	R\$ 6.166,67	R\$ 74.000,04	R\$ 370.000,20
	3	Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo III (Unidades Remotas)	Unidade	3	R\$ 2.050,00	R\$ 73.800,00	R\$ 369.000,00
	4	Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo IV (Unidades Remotas)	Unidade	12	R\$ 2.050,00	R\$ 295.200,00	R\$ 1.476.000,00
	5	Serviço composto por Gerência centralizada, logs, eventos e relatórios para equipamentos de proteção de perímetro com SD- WAN.	Unidade	1	R\$ 61.666,67	R\$ 740.000,04	R\$ 3.700.000,20
Valor Total da Proposta: Nove Milhões Quinhentos e Sete Mil Duzentos e Cinquenta e Quatro Reais e Quarenta Centavos.							R\$ 9.507.254,40

Declaramos que nos valores propostos estão inclusos todos os custos operacionais, encargos previdenciários, trabalhistas, tributários, comerciais e quaisquer outros que incidam direta ou indiretamente na execução do objeto.

Declaramos que os itens constantes desta proposta correspondem exatamente às especificações e às condições de execução dos serviços descritas no Edital, às quais aderimos formalmente.

PRAZO DE VALIDADE DA PROPOSTA: 90 (noventa) dias, a contar da data de sua apresentação.

PRAZO DE GARANTIA DO OBJETO: 60 (sessenta) meses.

PRAZO DE ENTREGA, INSTALAÇÃO E EXECUÇÃO DOS SERVIÇOS DO OBJETO, CONFORME DISPOSTO NO EDITAL.

Dados da Empresa			
Nome: Global IP Tecnologia da Informação LTDA			
Endereço: SCN Quadra 04, Bloco "B", Sala 1402, Cobertura – Centro Empresarial VARIG, Brasília/DF			
Bairro: Asa Norte	CEP: 70.714-900	Cidade: Brasília	UF: DF
CNPJ: 08.366.661/0001-47		Telefone: (61) 3327-2777	
E-mail: contato@globalip.com.br		Celular: (61) 98178-8087	

Dados Bancários		
Banco nº: 237	Agência nº: 1228	Conta Corrente nº: 88879-6
CNPJ (Matriz) para faturamento: 08.366.661/0001-47		

Dados da autoridade competente que assinará o contrato		
Nome: Ronaldo de Albuquerque Ribeiro		
Cargo: Representante legal		
Documento de identidade: 1.232.450	Órgão expedidor: SSP	UF: DF
CPF Nº. 498.123.511-91		
Residente e domiciliado em: SCN Quadra 04, Bloco "B", Sala 1402, Cobertura – Centro Empresarial VARIG, Brasília/DF.		

Brasília, 04 de dezembro de 2025.

RONALDO DE
ALBUQUERQUE
RIBEIRO:49812351
191


Assinado de forma digital
por RONALDO DE
ALBUQUERQUE
RIBEIRO:49812351191
Dados: 2025.12.19 09:15:30
-03'00'

Ronaldo de Albuquerque Ribeiro
CPF: 498.511.91
RG: 1232450 – SSP/DF
Sócio Diretor

DETALHAMENTO DO OBJETO OFERTADO

→ Equipamentos e/ou licenças para Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD- WAN - Tipo I (Concentrador):

Quantum Force 9200 Security Gateway



Specifications

Performance

Enterprise Test Conditions¹

Threat Prevention ^{1,5} [Gbps]	8
NGFW ² [Gbps]	19
IPS [Gbps]	31
Firewall [Gbps]	60

RFC 3511, 2544, 2647, 1242 Performance (Lab)

Firewall 1518B UDP [Gbps]	80
Firewall Latency (avg)	9µSec
VPN AES-GCM 1452B [Gbps]	28.6
Connections/sec	250,000
Concurrent connections (Base/Plus/Max)	2.75M/7.27M/16.2

TLS Inspection Performance

Threat Prevention ^{1,2} [Gbps]	3.6
Threat Prevention ³ web mix ⁴ [Gbps]	2
IPS web mix ⁴ [Gbps]	2.9

Additional Features

Highlights

- CPU: 4 physical cores, total of 8 logical cores
- Storage: 1 SSD 480GB SATA
- 2x Internal AC power supply
- 16 to 64 GB memory options
- Lights-Out-Management card – optional (included in Plus package)

Network Expansion Slot Options

- 8 x 1/10GBASE-F SFP+ port card
- 4 x 10/25GBASE-F SFP28 port card

SUBSCRIPTION SERVICES

	NGFW	NGTP	SNBT (SandBlast)
Application Control	✓	✓	✓
IPS	✓	✓	✓
URL Filtering		✓	✓
Anti-Bot		✓	✓
Anti-Virus		✓	✓
Anti-Spam		✓	✓
DNS Security		✓	✓
SandBlast Threat Emulation (sandboxing)			✓
SandBlast Threat Extraction (CDR)			✓
Zero Phishing			✓
IoT Network Protection	optional	optional	optional
SD-WAN Network Optimization	optional	optional	optional

The first-year purchase includes the SNBT package. Security subscription renewals, NGFW, NGTP and SNBT are available for subsequent years.

<https://www.checkpoint.com/downloads/products/quantum-force-9200-datasheet.pdf>

<https://www.checkpoint.com/resources/items/datasheet--quantum-sd-wan>

Planilha com Part Numbers:


Grupo 1	Item 1	<p>Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo I (Concentrador)</p> <p>Part Numbers (Equipamentos e licenças para o serviço):</p> <p>CP-CPAP-SG92XX-PLUS-INV</p> <p>CP-CPAC-TR-10SR-D</p> <p>CP-CPMSP-UPG-CPAP-SG9200-PLUS-SNBT</p> <p>CP-CPMSP-CPSB-SNBT-9200-PLUS-3Y</p> <p>CP-CPMSP-CPSB-SNBT-9200-PLUS-1Y</p> <p>CP-CPMSP-CPSB-SDWAN-9200-PLUS-2Y</p> <p>CP-CPMSP-CPSB-SDWAN-9200-PLUS-3Y</p> <p>CP-CPMSP-CPSB-MOB-200</p> <p>CP-CPMSP-CPCES-CO-MSP-ADD</p>
---------	--------	--

→ Equipamentos e/ou licenças para Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD- WAN - Tipo II (Unidades remotas):



1800 Security Gateway

1. SD card slot
2. 2x 2.5GbE ports
3. 16x 1GbE LAN switch
4. 1x 1GbE copper/fiber WAN2 (*future)
5. Console port
6. 1x 1GbE copper/fiber WAN1 port
7. 1x 10GbE copper/fiber DMZ port
8. 1x 1GbE Management port (*future)
9. 2x USB ports
10. 2x power supplies
11. Power on/off switch
12. Fans



1800	
Enterprise Testing Conditions	
Threat Prevention with Smart Accel*	2,600 Mbps
Threat Prevention ¹	2,000 Mbps
Next Generation Firewall ²	5,000 Mbps
IPS Throughput	5,500 Mbps
Firewall Throughput	7,500 Mbps
RFC 3511, 2544, 2647, 1242 Performance (LAB)	
Firewall 1518 Byte UDP Packets	17,000 Mbps
VPN AES-128 Throughput	4,000 Mbps
Connections per Second	66,000
Concurrent Connections	2,400,000
Software	
Security	Firewall, VPN, User Aware, QoS, Application Control, URLF, IPS, Anti-Bot, Antivirus, Anti-Spam, sandboxing
Unicast, Multicast Routing and Clustering	OSPFv2, BGPv4 and 4+, RIP, PIM (SM, DM, SSM), IGMP, ClusterXL High Availability
IPv6	local network and internet connections, dual stack tunneling IPv4 over IPv6 networks, prefix delegation
Mobile Access License (Users)	500 remote SNX or Mobile VPN client users
Hardware	
WAN Ports	2x 10/100/1000Base-T RJ-45 / 1000BaseF SFP ports (transceiver not included) *WAN2 support in future SW release
DMZ Port	1x 10GbE Base-T RJ-45 / 10GbE SFP+ (transceiver not included)
LAN Switch Ports	2x 2.5GbE Base-T RJ-45 plus 16x 10/100/1000Base-T RJ-45 ports
Management Port	1x 10/100/1000Base-T RJ-45 port *MGMT support in future SW release
Console. USB Ports	Console: 1x USB-C and 1x RJ-45 console port, USB: 2x USB 3.0 ports
Storage	256 GB SSD and Micro-SD slot with 32 and 64 GB card options
eMMC	32 GB
MTBF	15.64 years @ 25°C
Dimensions	
Dimensions (W x D x H)	1RU form factor: 430 x 300 x 44.2 mm (16.93 x 11.8 x 1.74 in.)
Weight	6.76 kg (14.9 lbs.)
Environment	
Operating / Storage	0°C ~ 40°C / -45°C ~ 60°C (5~95%, non-condensing)
Power Requirements	
AC Input	100 – 240VAC, 50 – 60 Hz
Power Supplies	two redundant 150W power supplies
Power Consumption (Max)	93.6W
Heat Dissipation (BTU/hr)	319.3
Certifications	
Safety Emissions Environment	UL/c-UL 62368-1, IEC 62368-1 CB / EMC, EMI EN55024, EN55032 Class B, VCCI, AS, NZS CISPR 32, IC ICES 03, FCC: Part 15 Class B / RoHS, REACH, WEEE

3 and 5 Year Security Gateway, Support and Services Bundles

	NGFW	NGTP	SNBT
Security Gateway	✓	✓	✓
Premium Support (24 x 7 response, software upgrades and more)	✓	✓	✓
PRO Support option (proactive health monitoring service)	✓	✓	✓
Firewall	✓	✓	✓
VPN	✓	✓	✓
Mobile Access (includes 500 concurrent users)	✓	✓	✓
Application Control	✓	✓	✓
Intrusion Prevention System	✓	✓	✓
URL Filtering		✓	✓
Antivirus and Anti-Bot		✓	✓
Anti-Spam and Email Security		✓	✓
DNS Security		✓	✓
Threat Emulation (sandboxing)			✓
IoT Network protection for SMBs*			✓
SD-WAN network optimization for SMBs*	✓	✓	✓
IoT network protection for enterprises**	Optional	Optional	Optional
SD-WAN network optimization for enterprises**	Optional	Optional	Optional

Optional security capabilities can be ordered a-la-carte or separately

* Starting from release R81.10.10. and supported on Web UI and Spark Management only

** Supported on Smart-1 only

<https://www.checkpoint.com/downloads/products/1600-1800-security-gateway-datasheet.pdf>

<https://www.checkpoint.com/resources/items/datasheet--quantum-sd-wan>

Planilha com Part Numbers:

Grupo 1	Item 2	<p>Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo II (Unidades Remotas)</p> <p>Part Numbers (Equipamentos e licenças para o serviço):</p> <p>CP-CPAP-SG18XX-INV</p> <p>CP-CPAC-1800-TR-10SR</p> <p>CP-CPAC-1500-TR-1SX</p> <p>CP-CPMSP-UPG-CPAP-SG1800-SNBT</p> <p>CP-CPMSP-CPSB-SNBT-1800-3Y</p> <p>CP-CPMSP-CPSB-SNBT-1800-1Y</p> <p>CP-CPMSP-CPSB-SDWAN-1800-2Y</p> <p>CP-CPMSP-CPSB-SDWAN-1800-3Y</p> <p>CP-CPMSP-CPCES-CO-MSP-ADD</p>
---------	--------	--

→ Equipamentos e/ou licenças para Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD- WAN - Tipo III (Unidades remotas):



Quantum Spark 2530/2550



1. Power Switch
2. 6x RJ45 1GbE copper LAN ports
3. 1GbE copper/fiber WAN port
4. 1GbE copper/fiber DMZ port
5. USB 3.0 Type-A port
6. USB Type-C console port
7. Power Supply Connector
8. Wi-Fi Antennas (x2) for supported models:
CPAP-SG2530W-SNBT
CPAP-2550W-SNBT
CPAP-2550W5G-SNBT (roadmap)

Quantum Spark 2560/2570



1. Power Switch
2. 8x RJ45 1GbE copper LAN ports
3. 1GbE copper WAN port
4. 1GbE Fiber DMZ port
5. 2x 10GbE fiber LAN/WAN ports
6. USB 3.0 Type-A port
7. USB Type-C console port
8. Power Supply Connector (Dual)
9. Wi-Fi Antennas (x4) for supported models:
CPAP-SG2560W-SNBT
CPAP-2570W-SNBT
CPAP-2570W5G-SNBT (roadmap)

Specifications

Test Conditions	2530	2550	2560	2570	2580
Threat Prevention [Mbps]	750	1,000	1,850	2,500	3,200
Next Generation Firewall [Mbps] ¹	1,200	1,600	3,750	5,000	9,000
IPS Throughput [Mbps]	1,720	2,300	5,170	6,900	11,000
Firewall Throughput [Mbps]	2,250	3,000	6,750	9,000	17,500
RFC 3511, 2544, 2647, 1242 Performance (Lab)					
Firewall 1518 bytes UDP [Mbps]	3,000	4,000	11,600	15,500	20,000
Firewall Latency Avg. (µSec)	90		30		24
VPN AES-GCM 1452B [Mbps]	1,400		4,000		4,500
Connections/Sec	16,000	20,000	53,000	62,000	72,000
Concurrent Connections	1,000,000		2,000,000		
Software					
Security	Firewall, VPN, User Aware, QoS, Application Control, URLF, IPS, Anti-Bot, Antivirus, Anti-Spam, sandboxing				
Unicast, Multicast Routing and Clustering	OSPFv2, BGPv4 and 4++, RIP, PIM (SM, DM, SSM), IGMP, ClusterXL High Availability				
IPv6	local network and internet connections, dual stack tunneling IPv4 over IPv6 networks, prefix delegation				
Remote Access Users	100		200		1,000
SD-WAN	Integrated SD-WAN network optimization and resilience				
VLAN's	Total physical and virtual (VLAN) interfaces per appliance: 1024 (single gateway)				
Link Aggregation	802.3ad passive and active link aggregation				
Layer 2	Layer 2 (transparent) and Layer 3 (routing) mode				
IPv6	NAT66, NAT64, NAT46 / CoreXL, SecureXL, HA with VRRPv3				
Management Options	Web UI, Spark Management application, Smart-1 Cloud & Management Server				

SUBSCRIPTION SERVICES

	NGFW	NGTP	SNBT (SandBlast)*
Application Control	✓	✓	✓
IPS	✓	✓	✓
URL Filtering		✓	✓
Anti-Bot		✓	✓
Anti-Virus		✓	✓
Anti-Spam		✓	✓
SandBlast Threat Emulation (sandboxing)			✓
Zero Phishing			✓
IoT Network Protection	IoT for SMB (Web UI and Spark Management) is included IoT for Enterprise (Smart1) requires an additional license		
SD-WAN Network Optimization**	SD-WAN for SMB (Web UI and Spark Management) is included SD-WAN for Enterprise (Smart1) requires an additional license		

The first-year purchase includes the on-premise security subscription renewals, for IPv4, IPv6 and IPv6 and IPv4 are available for subsequent years.

**SD-WAN for Enterprise is pending availability of Central Management.

<https://www.checkpoint.com/downloads/products/quantum-spark-2500-datasheet.pdf>

<https://www.checkpoint.com/resources/items/datasheet--quantum-sd-wan>

Planilha com Part Numbers:

Grupo 1	Item 3	<p>Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo III (Unidades Remotas)</p> <p>Part Numbers (Equipamentos e licenças para o serviço):</p> <p>CP-CPAP-SG256X-INV CP-CPAC-TR-1SX-D CP-CPMSP-UPG-CPAP-SG2560-SNBT CP-CPMSP-CPSB-SNBT-2560-3Y CP-CPMSP-CPSB-SDWAN-2560-3Y CP-CPMSP-CPSB-SNBT-2560-1Y CP-CPMSP-CPSB-SDWAN-2560-2Y CP-CPMSP-CPCES-CO-MSP-ADD</p>
---------	--------	--

→ Equipamentos e/ou licenças para Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD- WAN - Tipo IV (Unidades remotas):



Quantum Spark 2530/2550



1. Power Switch
2. 6x RJ45 1GbE copper LAN ports
3. 1GbE copper/fiber WAN port
4. 1GbE copper/fiber DMZ port
5. USB 3.0 Type-A port
6. USB Type-C console port
7. Power Supply Connector
8. Wi-Fi Antennas (x2) for supported models:
CPAP-SG2530W-SNBT
CPAP-2550W-SNBT
CPAP-2550W5G-SNBT (roadmap)

Quantum Spark 2560/2570



1. Power Switch
2. 8x RJ45 1GbE copper LAN ports
3. 1GbE copper WAN port
4. 1GbE Fiber DMZ port
5. 2x 10GbE fiber LAN/WAN ports
6. USB 3.0 Type-A port
7. USB Type-C console port
8. Power Supply Connector (Dual)
9. Wi-Fi Antennas (x4) for supported models:
CPAP-SG2560W-SNBT
CPAP-2570W-SNBT
CPAP-2570W5G-SNBT (roadmap)

Specifications

Test Conditions	2530	2550	2560	2570	2580
Threat Prevention [Mbps]	750	1,000	1,850	2,500	3,200
Next Generation Firewall [Mbps] ¹	1,200	1,600	3,750	5,000	9,000
IPS Throughput [Mbps]	1,720	2,300	5,170	6,900	11,000
Firewall Throughput [Mbps]	2,250	3,000	6,750	9,000	17,500
RFC 3511, 2544, 2647, 1242 Performance (Lab)					
Firewall 1518 bytes UDP [Mbps]	3,000	4,000	11,600	15,500	20,000
Firewall Latency Avg. (µSec)	90		30		24
VPN AES-GCM 1452B [Mbps]	1,400		4,000		4,500
Connections/Sec	16,000	20,000	53,000	62,000	72,000
Concurrent Connections	1,000,000		2,000,000		
Software					
Security	Firewall, VPN, User Aware, QoS, Application Control, URLF, IPS, Anti-Bot, Antivirus, Anti-Spam, sandboxing				
Unicast, Multicast Routing and Clustering	OSPFv2, BGPv4 and 4++, RIP, PIM (SM, DM, SSM), IGMP, ClusterXL High Availability				
IPv6	local network and internet connections, dual stack tunneling IPv4 over IPv6 networks, prefix delegation				
Remote Access Users	100		200		1,000
SD-WAN	Integrated SD-WAN network optimization and resilience				
VLAN's	Total physical and virtual (VLAN) interfaces per appliance: 1024 (single gateway)				
Link Aggregation	802.3ad passive and active link aggregation				
Layer 2	Layer 2 (transparent) and Layer 3 (routing) mode				
IPv6	NAT66, NAT64, NAT46 / CoreXL, SecureXL, HA with VRRPv3				
Management Options	Web UI, Spark Management application, Smart-1 Cloud & Management Server				

SUBSCRIPTION SERVICES

	NGFW	NGTP	SNBT (SandBlast)*
Application Control	✓	✓	✓
IPS	✓	✓	✓
URL Filtering		✓	✓
Anti-Bot		✓	✓
Anti-Virus		✓	✓
Anti-Spam		✓	✓
SandBlast Threat Emulation (sandboxing)			✓
Zero Phishing			✓
IoT Network Protection	IoT for SMB (Web UI and Spark Management) is included IoT for Enterprise (Smart1) requires an additional license		
SD-WAN Network Optimization**	SD-WAN for SMB (Web UI and Spark Management) is included SD-WAN for Enterprise (Smart1) requires an additional license		

The first-year purchase includes the on-premise security subscription renewals, for IV, NGTP and SNBT are available for subsequent years.
**SD-WAN for Enterprise is pending availability of Central Management.

<https://www.checkpoint.com/downloads/products/quantum-spark-2500-datasheet.pdf>

<https://www.checkpoint.com/resources/items/datasheet--quantum-sd-wan>

Planilha com Part Numbers:

Grupo 1	Item 4	<p>Serviço composto por equipamento para proteção de perímetro do tipo NGFW com SD-WAN - Tipo IV (Unidades Remotas)</p> <p>Part Numbers (Equipamentos e licenças para o serviço):</p> <p>CP-CPAP-SG256X-INV CP-CPAC-1500-TR-1SX CP-CPMSP-UPG-CPAP-SG2560-SNBT CP-CPMSP-CPSB-SNBT-2560-3Y CP-CPMSP-CPSB-SDWAN-2560-3Y CP-CPMSP-CPSB-SNBT-2560-1Y CP-CPMSP-CPSB-SDWAN-2560-2Y CP-CPMSP-CPCES-CO-MSP-ADD (3659378)</p>
---------	--------	--

→ Equipamentos e/ou licenças para Serviço composto por Gerência centralizada, logs, eventos e relatórios para equipamentos de proteção de perímetro com SD WAN:



All-in-one security management solution, with integrated policy management, threat visibility, workflow and orchestration, enabling security consolidation across any IT environment.



Scalable Management on Demand




Faster Response to Threats



Efficient Security Operations

SPOTLIGHT



Unified Console to Manage Everything

With one console, security teams can manage all aspects of security from policy to threat prevention – across the entire organization – on both physical and virtual environments. Consolidated management means increased operational efficiency.

In addition to a unified console, you also now have a unified policy to manage everything from users to data to gateways. Access, controlled in one policy.

Reports & Compliance

Take control and monitor all your gateways in real time. Easily generate and schedule reports. Over 300 Security Best Practices, regulatory compliance checks.



Real Time Integrated Threat Management

For deep forensic analysis, we've integrated logging, monitoring, events, governance, and compliance. R81 SmartConsole gives you full visibility and control across your network.

Security Efficient Operations and APIs

Improve productivity with automation API that orchestrates workflows and aligns security with IT processes and systems.



Multi-domain Management

Easily manage hundreds of private networks within the same infrastructure and create up to 200 domains based on geography, business unit or security function.

Additional Security Management Features and Extensions	SKU
Additional Security Management Features	
Unlimited LSM gateways extension for Next Generation Security Management	CPSB-LSM-EXT-U
SmartEvent Additional Correlation Unit	CPSM-EVNT-COR
Additional Extensions	
Compliance extension of 50 GWs [for Smart-1 and open server 150] subscription for 1 year	CPSB-COMP-EXT-50-1Y
SmartEvent extension of 50 GWs [for Smart-1 and open server 150] subscription for 1 year	CPSB-EVS-EXT-50-1Y
SmartEvent, SmartReporter and Compliance blades extension of 50 gateways [Smart-1 & open server] 1 year subscription	CPSB-EVS-COMP-EXT-50-1Y
Additional Domains	
5 domains package for Multi-domain Security Management	CPSB-DMN-5
10 domains package for Multi-domain Security Management	CPSB-DMN-10
25 domains package for Multi-domain Security Management	CPSB-DMN-25
50 domains package for Multi-domain Security Management	CPSB-DMN-50
100 domains package for Multi-domain Security Management	CPSB-DMN-100

Open Server Management Software Products	SKU
Next Generation Security Management Software Multi-domain for 150 gateways and 5 domains [SmartEvent & Compliance 1 year]	CPSM-NGSM150-MD5
Next Generation Security Management SmartEvent dedicated Server for 150 gateways [perpetual]	CPSM-NGSM150-EVNT
Next Generation Security Management Software for 150 gateways [SmartEvent & Compliance 1 year]	CPSM-NGSM150
Next Generation Security Management Multi-Log Manager software for 150 gateways and 10 domains [perpetual]	CPSM-NGSM150-MLOG10
50 gateways extension for Next Generation Security Management Server to: Smart-1 6000-XL Plus/Smart-1 5150/NGSM-150	CPSB-GW-EXT-50
Next Generation Security Management Software Multi-domain for 50 gateways and 5 domains [SmartEvent & Compliance 1 year]	CPSM-NGSM50-MD5
Next Generation Security Management SmartEvent dedicated Server for 50 gateways [perpetual]	CPSM-NGSM50-EVNT
Next Generation Security Management Software for 50 gateways [SmartEvent & Compliance 1 year]	CPSM-NGSM50
Next Generation Security Management Multi-Log Manager software for 50 gateways and 10 domains [perpetual]	CPSM-NGSM50-MLOG10
Next Generation Security Management Software Multi-domain for 25 gateways and 5 domains [SmartEvent & Compliance 1 year]	CPSM-NGSM25-MD5
Next Generation Security Management SmartEvent dedicated Server for 25 gateways [perpetual]	CPSM-NGSM25-EVNT
Next Generation Security Management SmartEvent dedicated Server for 25 gateways [perpetual]	CPSM-NGSM25
Next Generation Security Management Log dedicated software for 25 gateways [perpetual]	CPSM-NGSM25-LOG
Next Generation Security Management SmartEvent dedicated Server for 10 gateways [perpetual]	CPSM-NGSM10-EVNT
Next Generation Security Management Software for 10 gateways [SmartEvent & Compliance 1 year]	CPSM-NGSM10
Next Generation Security Management Log dedicated software for 10 gateways [perpetual]	CPSM-NGSM10-LOG
Next Generation Security Management Software for 5 gateways [SmartEvent & Compliance 1 year]	CPSM-NGSM5
Next Generation Security Management SmartEvent dedicated Server for 5 gateways [perpetual]	CPSM-NGSM5-EVNT

<https://www.checkpoint.com/downloads/products/smart-1-security-management-platform-datasheet.pdf>

Planilha com Part Numbers:

Grupo 1	Item 5	Serviço composto por Gerência centralizada, logs, eventos e relatórios para equipamentos de proteção de perímetro com SD- WAN. Part Numbers (licenças para o serviço): CP-CPMSP-CPSM-NGSM25 CP-CPMSP-CPSM-NGSM25-EVNT
---------	--------	--

Serviço Gerenciado Customizado

Alinhado as suas **necessidades**

